

# Pricat Sport English Message Description

## Segments

### UNH Message header

M 1

**Function:** Start and identification of message

Tag	Name	Req.	Type	Description and Codes
UNH				
0062	Message reference number	M	an..14	Unique message reference
S009	Message identifier	M		
0065	Message type	M	an..6	PRICAT Price/sales catalogue message
0052	Message version number	M	an..3	D Draft directory
0054	Message release number	M	an..3	
0051	Controlling agency, coded	M	an..3	UN UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)
0057	Association assigned code	O	an..6	SPORTA=Sport version

**Example:**

UNH+1+PRICAT:D:01B:UN:SPORTA'

### BGM Beginning of message

M 1

**Function:** Unique identification of document

Tag	Name	Req.	Type	Description and Codes
BGM				
C002	Document/message name	C		
1001	Document name code	O	an..3	9 Price/sales catalogue
1000	Document name	M	an..35	Season
C106	Document/message identification	M		
1004	Document identifier	M	an..35	Unique number
1225	Message function code	M	an..3	9 Original

**Example:**

BGM+9:::2008-01+0001+9'

### DTM Date/time/period

M 35

**Function:** Date information

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	137 Document/message date/time
2380	Date or time or period value	M	an..12	Either date or date + timestamp. Max. 12 characters
2379	Date or time or period format code	O	an..3	102 CCYYMMDD 203 CCYYMMDDHHMM

**Example:**

DTM+137:200904051000:102'

### SG2 NAD Buyer

M 1

**Function:** Trading Enterprise who is the receiver of this Pricat message

Tag	Name	Req.	Type	Description and Codes
NAD				
3035	Party function code qualifier	M	an..3	BY Buyer

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
C082	Party identification details	M		
3039	Party identifier	M	an..13	GLN (GS1 location number, 13 siffer) for Trading Enterprise
3055	Code list responsible agency code	C	an..3	9 GS1

**Example:**

NAD+BY+7080000869930::9'

## SG2 NAD Supplier

**M 1**

**Function:** Supplier who has generated this message

Tag	Name	Req.	Type	Description and Codes
NAD				
3035	Party function code qualifier	M	an..3	SU Supplier
C082	Party identification details	M		
3039	Party identifier	M	an..13	GLN (GS1 Location number, 13 siffer)
3055	Code list responsible agency code	C	an..3	9 GS1
C080	Party name	M		
3036	Party name	M	an..35	Max. 35 characters

**Example:**

NAD+SU+7080000700189::9++Navn på Leverandør'

## SG4 CTA Contact information

**M 1**

**Function:**

Tag	Name	Req.	Type	Description and Codes
CTA				
3139	Contact function code	C	an..3	AD Accounting contact

**Example:**

CTA+AD'

## SG4 COM Communication contact

**C 3**

**Function:**

Tag	Name	Req.	Type	Description and Codes
COM				
C076	Communication contact	M		
3148	Communication address identifier	M	an..512	
3155	Communication address code qualifier	M	an..3	EM Electronic mail FX Telefax TE Telephone

**Example:**

COM+ole@leverandor.no:EM'

## SG9 TOD Terms of delivery or transport

**M 1**

**Function:** Terms of delivery - incoterms 2000

Tag	Name	Req.	Type	Description and Codes
TOD				

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
4055	Delivery or transport terms function code	C	an..3	4 Collected by customer
C100	Terms of delivery or transport	C		
4053	Delivery or transport terms description code	C	an..3	Only EXW (XWORKS) to be used EXW Ex works

**Example:**

TOD+4++EXW'

## SG17 PGI Product group information

M 1

**Function:** Start of Product information

Tag	Name	Req.	Type	Description and Codes
PGI				
5379	Product group type code	M	an..3	Code 2 to be used for transfer from Supplier to EPD. Code 5 to be used for transfer from EPD to Trading enterprise/Wholesaler 2 No price group used 5 Sorted on supplier

**Example:**

PGI+2'

## SG36 LIN Line item

M 1

**Function:** Line item information

Tag	Name	Req.	Type	Description and Codes
LIN				
1082	Line item identifier	O	an..6	Running line number
1229	Action request/notification description code	O	an..3	1 Addition
C212	Item number identification	M		Primary item identification according to GTIN allocation Rules, GTIN 8, 12, 13 og 14 with modulus 10. Must also include UCC-kodes (9, 10 or 11 digits)
7140	Item identifier	M	an..35	GTIN
7143	Item type identification code	M	an..3	EN International Article Numbering Association (EAN)
C829	Sub-line information	C		Skal angis ved underlinje.
5495	Sub-line indicator code	C	an..3	1 Sub-line information
1082	Line item identifier	C	an..6	

**Example:**

LIN+1+1+7045950569941:EN+1:1'

## SG36 PIA Additional product id

M 99

**Function:** Item classification according to FEDAS, NORSP0 or EPDSport, or GTIN for substitution article or deposit product.

Existing article and substitution must be mutually referenced.

Tag	Name	Req.	Type	Description and Codes
PIA				
4347	Product identifier code qualifier	M	an..3	Additional item identification 1 Additional identification 3 Substituted by
C212	Item number identification	M		

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
7140	Item identifier	M	an..6	6 tegn benyttet
7143	Item type identification code	M	an..3	CG=Fedas-code GD=NORSPO-code BP=EPDSport-number allocated by EPD Sport. Linked to GTIN (8 digits + K) EN=GTIN for Substitution article or Deposit according to legal GTIN/products assigned by Norsk Resirk AS and Norsk Rentpack AS. Deposit to be stated at underline. CG Commodity grouping GD Industry sector article group number/product classification code (EAN Code) BP Buyer's part number EN International Article Numbering Association (EAN)

**Example:**

PIA+1+100200:CG'

## SG36 IMD Article name

**M 999**

**Function:** Only description and not brand, model no, size and color. Combination of Article name and Characteristics can be max. 35 characters incl. spaces.

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	M	an..3	F Free-form
C273	Item description	C		
7008	Item description	M	an..35	Combination of Article name and Characteristics can be max. 35 characters incl. spaces.

**Example:**

IMD+F+:::Article name'

## SG36 IMD Article unit

**M 999**

**Function:** Article/package level

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	M	an..3	C Code (from industry code list)
C273	Item description	C		
7009	Item description code	C	an..17	Legal values: DU Despatch unit (EAN Code) CU Consumer unit (EAN Code) TU Traded unit (EAN Code) HN Handling unit (EAN Code)

**Example:**

IMD+C++CU'

## SG36 IMD Characteristics

**O 999**

**Function:** E.g. left/right ski. Combination of Article name and Characteristics can be max. 35 characters incl. spaces.

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	M	an..3	ZES

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
C273	Item description		C	
7008	Item description	M	an..35	Combination of Article name and Characteristics can be max. 35 charcters incl. spaces.

**Example:**

IMD+ZES++++:Characteristics'

## SG36 IMD Brand

**M 999**

**Function:** Brand name of the article. Must be a legal trade mark according to Norspo.

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	M	an..3	F Free-form
C272	Item characteristic		M	
7081	Item characteristic code	M	an..3	BRN Brand name (EAN Code)
C273	Item description		C	
7008	Item description	M	an..35	Max. 35 characters

**Example:**

IMD+F+BRN++++:Merkenavn'

## SG36 IMD Product type

**M 1**

**Function:** Product type for smallest sales unit according to code list

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	M	an..3	S Structured (from industry code list)
C273	Item description		M	
7009	Item description code	C	an..17	ZZP
7008	Item description	M	an..256	Legal codes: PVU Sport og fritidsartikler (Sport and leisure goods) Leker/spill (Toy/games) Annet (Other)

**Example:**

IMD+S+++ZZP::::Sport og fritidsartikler'

## SG36 IMD EN-standard

**C 1**

**Function:** EN-standard for basic sales unit. List to be revised against <http://www.dsb.no>. To be filled in for Product type=PVU if PVU-standard, or Leker/Spill if Leker/spill-standard.

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	C	an..3	S Structured (from industry code list)
C273	Item description		C	
7009	Item description code	C	an..17	ZZE
7008	Item description	C	an..256	Legal values according to EPDSport-DB type table

**Example:**

IMD+S+++ZZE::::NS-EN71-2'

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

### SG36 IMD Environmental label

O 999

**Function:** To be filled in product satisfies marking requirements

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	C	an..3	F Free-form
C273	Item description	C		Code + description
7009	Item description code	C	an..17	Inntil 3 tegn benyttes. ZZ1 Environmental label
7008	Code from EPD-Database	C	an..256	Legal values: NEI (No) SVANEN (Nordic environmental label) BLOMSTEN (The European Ecolabel) FSC (Forest Stewardship Council) MSC (Marine Stewardship Council) ØKO-TEX (Eco-tex)

**Example:**

IMD+F++ZZ1:::X'

### SG36 IMD Colour code

O 999

**Function:** Suppliers colour code

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	C	an..3	C Code (from industry code list)
C272	Item characteristic	C		
7081	Item characteristic code	C	an..3	35 Colour
C273	Item description	C		
7008	Item description	C	an..256	Alfanumeric, max 8 characters

**Example:**

IMD+C+35+:::600'

### SG36 IMD Colour description

O 999

**Function:** Description of the colour defined by the colour code

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	C	an..3	E
C273	Item description	C		
7008	Item description	C	an..256	Free text, max. 35 characters

**Example:**

IMD+E+:::Blå'

### SG36 IMD Size type

O 999

**Function:** Must be filled in for shoes and textiles. States the standard to be used for sizes, UK/US/etc. According to code list.

Tag	Name	Req.	Type	Description and Codes
IMD				

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
7077	Description format code	C	an..3	F Free-form
C272	Item characteristic	C		
7081	Item characteristic code	C	an..3	ZSM Size table
C273	Item description	C		
3055	Code list responsible agency code	C	an..3	
7008	Item description	C	an..256	Codes according to legal values in EPDSport-database

**Example:**

IMD+F+ZSM+:::SHOES\_US'

### SG36 IMD Size

**O 999**

**Function:** Article size

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	C	an..3	F Free-form
C272	Item characteristic	C		
7081	Item characteristic code	C	an..3	98 Size
C273	Item description	C		
7009	Item description code	C	an..17	
7008	Item description	C	an..35	Alphanumeric, max.35 characters

**Example:**

IMD+F+98+:::8'

### SG36 IMD Orderable unit

**M 999**

**Function:** Defines the packaging level for the sales unit used by the Supplier against the trading enterprise. This is the same as level invoicing unit. This can be one level only, and corresponds to the EPD9-no. Default is Traded unit (TU).

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	M	an..3	F Free-form
C273	Item description	M		Code + description
7009	Item description code	C	an..17	Max. 3 characters ZNO Ordering unit NO Not an ordering unit (EAN Code)

**Example:**

IMD+F++ZNO'

### SG36 IMD Age limit

**O 1**

**Function:** Age limit (year) to be stated if the product has a minimum age limit fixed by law

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	M	an..3	B Code and text
C273	Item description	C		
7009	Item description code	C	an..17	Z29 Identification requirement
7008	Item description	C	n..2	Year, 2 digits

**Example:**

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

IMD+B++Z29:::18'

### SG36 IMD Prescription requirement

O 1

**Function:** Code Z27 to be filled in the product is a nonprescription medicine with an age limit of 18.

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	C	an..3	F Free-form
C273	Item description	C		
7009	Item description code	C	an..17	Z27 Medicine

**Example:**

IMD+F++Z27'

### SG36 IMD Display unit

O 999

**Function:** To be stated if Traded units consists of various Consumer units (display). Same rule as for retail, children (Consumer units) must exist before they can be attached to the mother (Traded units as display).

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	M	an..3	F Free-form
C273	Item description	M		Code + description
7009	Item description code	M	an..17	Max. 3 characters SG Standard group of products (mixed assortment) (EAN Code)

**Example:**

IMD+F++SG'

### SG36 IMD Smallest unit

O 999

**Function:** To be stated on Trading unit if this is smallest unit

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	M	an..3	F Free-form
C273	Item description	M		Code + description
7009	Item description code	O	an..17	Legal values: SU Smallest unit (EAN Code)

**Example:**

IMD+F++SU'

### SG36 IMD Package split

M 999

**Function:** States if the product can be split up, and if invoiced per piece (J/N) or per package (P).

Tag	Name	Req.	Type	Description and Codes
IMD				
7077	Description format code	M	an..3	F Free-form
C273	Item description	M		Code + description
7009	Item description code	O	an..17	Legal values: IT Intermediate unit (EAN Code)

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English      Message Description

## Segments

Tag	Name	Req. Type	Description and Codes
7008	Code from EPD-database	C an..256	Legal values: N = Package cannot be split up J = Package can be split on supplementation P = Product is ordered in packages

**Example:**

IMD+F++IT:::N'

## SG36 IMD Genetically modified

**C 999**

**Function:** To be filled in if the product is genetically modified

Tag	Name	Req. Type	Description and Codes
IMD			
7077	Description format code	C an..3	F Free-form
C273	Item description	C	
7009	Item description code	C an..17	Legal values: ZZ2 Genetically modified

**Example:**

IMD+F++ZZ2'

## SG36 IMD Ecological

**C 999**

**Function:** To be filled in if the product is ecological according to ecological marking

Tag	Name	Req. Type	Description and Codes
IMD			
7077	Description format code	C an..3	F Free-form
C273	Item description	C	
7009	Item description code	C an..17	Legal values: ZZ3 Ecological

**Example:**

IMD+F++ZZ3'

## SG36 MEA Unit price

**C 10**

**Function:** Unit price factor is decreed by the authorities for food and beverages.

Tag	Name	Req. Type	Description and Codes
MEA			
6311	Measurement purpose code qualifier	M an..3	CME Unit prizes
C502	Measurement details	C	
6313	Measured attribute code	C an..3	Code for finished products that has a unit price. Legal values: DLL Ready to drink Z00 Not eatable Z01 Ready to eat (weight) Z02 Ready to eat (volume) Z03 Ready to drink (volume) Z05 Ready to eat (incl. additives)
C174	Comparison factor	C	

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
6411	Measurement unit code	M	an..3	Unit of measure. Legal values: CEL Degree celsius CLT Centilitre CMT Centimetre DLT Decilitre GC Per 100 gram GRM Gram KGM Kilogram KJO Kilojoule LTR Litre (1 dm3) MLT Millilitre MTK Square metre MTQ Cubic metre MTR Metre PCE Piece PTN Portion Z01 100 metre Z02 Potioning Z03 Tablet Z04 Treatment Z05 Wash Z06 Pair ZZ1 Kilocalories
6314	Measurement value	C	an..18	Factor to calculate comparision price. Example: 0,5 litre water gets the value 0.5. Dividing the unit price by 0.5 gives the price per litre. Decimal 7, incl. 3 digits after decimal point.

**Example:**

MEA+CME+Z00+LTR:0,5'

## SG36 MEA Number

**C 10**

**Function:** Only filled in for Consumer units to state number of units in a box that has no GTIN.

Example 1: 6 pair of socks is sold to the Trading enterprise in an unmarked box (no GTIN). Each pair is a Consumer unit with GTIN. MEA+AAE+UCO+PR:6'

Example 2: 10 pieces of ski wax is sold to the Trading enterprise in an unmarked box (no GTIN). Each ski wax is a Consumer unit with GTIN. MEA+AAE+UCO+PCE:10'

Tag	Name	Req.	Type	Description and Codes
MEA				
6311	Measurement purpose code qualifier	M	an..3	AAE Measurement
C502	Measurement details	C		
6313	Measured attribute code	C	an..3	UCO Number of units
C174	Value/range	C		

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English      Message Description

## Segments

Tag	Name	Req. Type	Description and Codes
6411	Measurement unit code	M an..3	Legal values: PAIR = PR PAK = PA PIECE = PCE 2PK = OP 3PK = P3 4PK = P4 6PK = P6 BUNCH = SW BOX = BX LOT = LO BAG = BG ROLL = RO SET = KT PIPE = TU PACKAGED = PK
6314	Measurement value	C an..18	Number

**Example:**

MEA+AAE+UCO+PCE:10'

### SG36 QTY      Number of lowerlevel units

**C 10**

**Function:** Number of next lowerlevel units for current package. To be stated on underline with reference to lowerlevel product.

Tag	Name	Req. Type	Description and Codes
QTY			
C186	Quantity details	M	
6063	Quantity type code qualifier	M an..3	17E      Number of units contained in (EAN Code) 59      Number of consumer units in the traded unit
6060	Quantity	M an..35	Integer

**Example:**

QTY+17E:10'

### SG36 QTY      Production minimum

**O 10**

**Function:** Minimum quantity for production. If minimum quantity is per ordre this should be stated here.

Tag	Name	Req. Type	Description and Codes
QTY			
C186	Quantity details	M	
6063	Quantity type code qualifier	M an..3	53      Minimum order quantity
6060	Quantity	M an..35	Free text, max 35 characters

**Example:**

QTY+53:15 pr. ordre'

### SG36 HAN      Handling intructions

**O 5**

**Function:** To be used when required for Despatch unit, Traded unit and Handling unit

Tag	Name	Req. Type	Description and Codes
HAN			
C524	Handling instructions	O	

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
4079	Handling instruction description code	O	an..3	EAT Foodstuffs FTD Frost danger (EAN Code) OHG Overhang item RCY Recyclable packaging (EAN Code) SSN Smell sensitive (EAN Code) STK Stackable (EAN Code) STR Stacking restricted (EAN Code) UST Unstackable (EAN Code) HWC Handle with care (EAN Code)
3055	Code list responsible agency code	O	an..3	9 GS1
4078	Handling instruction description	O	an..70	
C218	Hazardous material	O		To be used for all hazardous material
7419	Hazardous material category name code	O	an..7	Legal values: ADR ADR international classification (EAN Code) HMT Hazardous material standard text (EAN Code)
3055	Code list responsible agency code	O	an..3	9 GS1

**Example:**

HAN+EAT::9:X+ADR::9'

## SG36 ALI Country of origin

**O 5**

**Function:** Country of origin for product. If product components are produced in different countries, the main country shall be stated.

Tag	Name	Req.	Type	Description and Codes
ALI				
3239	Country of origin name code	O	an..3	ISO 3166-1 kode, numeric 3 digits

**Example:**

ALI+578'

## SG36 DTM Date/time/period

**O 3**

**Function:** Lead time and availability dates

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	End availability date is discontinue date. Used by the supplier to state when a product shall be discontinued. Must be later then Availability date. 169 Lead time 44 Availability 24E End availability date (EAN Code)
2380	Date or time or period value	O	n..3	
2379	Date or time or period format code	O	an..3	Lead time=Days Availability=CCYYMMDD End availability date=CCYYMMDD 804 Day 102 CCYYMMDD

**Example:**

DTM+169:5:804'

## SG36 DTM Delivery deadlines

**O 5**

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

**Function:** States last deadline for delivery within each delivery window.

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	Deadlines for delivery windows. Max 5 repetitions. Legal values: ZF1 = Last deadline first delivery window ZF2 = Last deadline second delivery window ZF3 = Last deadline third delivery window ZF4 = Last deadline fourth delivery window ZF5 = Last deadline fifth delivery window
2380	Date or time or period value	M	an..35	Actual date, e.g. 20080901
2379	Date or time or period format code	M	an..3	102 CCYYMMDD

**Example:**

DTM+ZF1:20080901:102'

## SG36 DTM Delivery windows

**M 5**

**Function:** Year and week for delivery window 1. If delivery window is one month, last week in the month must be stated. Delivery window 1 is required, the other are optional.

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	Legal values: ZD1= Delivery window 1 ZD2= Delivery window 2 ZD3= Delivery window 3 ZD4= Delivery window 4 ZD5= Delivery window 5
2380	Date or time or period value	M	an..35	Actual year and week, e.g. 2008-32

**Example:**

DTM+ZD1:2008-32'

## SG36 RFF Picture reference

**C 99**

**Function:** Reference to picture name provided by supplier Alphanumeric, free text 35 characters.

Tag	Name	Req.	Type	Description and Codes
RFF				
C506	Reference	M		
1153	Reference code qualifier	M	an..3	AAL Drawing reference number
1154	Reference identifier	M	an..35	Picture name with prefix og suffix (-.jpg/-bmp).

**Example:**

RFF+AAL:picture.jpg'

## SG36 RFF Customs tariff number

**O 99**

**Function:**

Tag	Name	Req.	Type	Description and Codes
RFF				

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
C506	Reference	M		
1153	Reference code qualifier	M	an..3	ABT Customs declaration number
1154	Reference identifier	M	an..10	No validation. Alphanumeric, max. 10 characters

**Example:**

RFF+ABT:12345678'

### SG36 RFF Suppliers ordernumber

**M 99**

**Function:** Used for unique identification of a product. Alphanumeric, max. 15 characters

Tag	Name	Req.	Type	Description and Codes
RFF				
C506	Reference	M		
1153	Reference code qualifier	M	an..3	VN Order number (supplier)
1154	Reference identifier	M	an..15	No validation. Alphanumeric, max 15 characters

**Example:**

RFF+VN:123456'

### SG36 FTX Ship from location

**M 999**

**Function:** GLN (Global Location Number) for normal ship from location GLN (13 digits including modulus 10).

Tag	Name	Req.	Type	Description and Codes
FTX				
4451	Text subject code qualifier	M	an..3	ZZZ = Primary ship from location. Filled in for Despatch unit, Handling unit and Traded unit. ZZZ Mutually defined
4453	Free text function code	C	an..3	Free text 1 Text for subsequent use
C107	Text reference	C		
4441	Free text value code	M	an..17	
C108	Text literal	C		
4440	Free text value	M	an..512	GLN for primary ship from location

**Example:**

FTX+ZZZ+1+X+7080000721405'

### SG36 FTX Suppliers Model number

**M 999**

**Function:** Identification of a series of product within the same model. Model number does not include description of colour of size. Prize may vary within one model. Free text max. 750 characters.

Tag	Name	Req.	Type	Description and Codes
FTX				
4451	Text subject code qualifier	M	an..3	MKS Additional marks/numbers information
4453	Free text function code	C	an..3	1 Text for subsequent use
C108	Text literal	C		
4440	Model number first line	M	an..512	Max. 512 characters
4440	Model number second line	C	an..512	Max. 238 characters giving a total max. length of 750

**Example:**

FTX+MKS+1++X:X'

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English      Message Description

## Segments

### SG36    FTX      Product information

**O 999**

**Function:** Free text element for adding product information not printed on the box. Up to 750 characters.

Tag	Name	Req.	Type	Description and Codes
FTX				
4451	Text subject code qualifier	M	an..3	PRD    Product information
4453	Free text function code	C	an..3	1      Text for subsequent use
C108	Text literal	C		Product information is max. 2560 characters on 5 lines
4440	Product information first line	M	an..512	Max. 512 characters
4440	Product information second line	C	an..512	Max. 512 characters
4440	Product information third line	C	an..512	Max. 512 characters
4440	Product information fourth line	C	an..512	Max. 512 characters
4440	Product information fifth line	C	an..512	Max. 512 characters

**Example:**

FTX+PRD+1++Text on line 1:Text on line 2:Text on line 3:Text on line 4:Text on line 5'

### SG38    TAX      Duty/tax/fee details

**M 1**

**Function:** Registrer korrekt mva-sats på varen. Validerer mot kodeverk.

Tag	Name	Req.	Type	Description and Codes
TAX				
5283	Duty or tax or fee function code qualifier	M	an..3	7      Tax
C241	Duty/tax/fee type	M		
5153	Duty or tax or fee type name code	M	an..3	VAT    Value added tax
C243	Duty/tax/fee detail	M		
3055	Code list responsible agency code	C	an..3	
5278	Duty or tax or fee rate	M	n..9	Max. 9 digits to state tax percent. Tax in kroners per litre/kilo/piece
5305	Duty or tax or fee category code	C	an..3	S      Standard rate

**Example:**

TAX+7+VAT++++:::25+S'

### SG40    PRI      Gross unit Prize

**M 1**

**Function:** Suppliers base prize to trading enterprise/wholesaler. i.e. prize excluding any discounts. Either Gross unit prize or Net prize preorder must be giver.

Tag	Name	Req.	Type	Description and Codes
PRI				
C509	Price information	C		
5125	Price code qualifier	M	an..3	AAB    Calculation gross
5118	Price amount	C	n..15	Decimal 10 digits with 2 to desimaler.
5387	Price specification code	M	an..3	GRP    Gross unit price

**Example:**

PRI+AAB:221:::GRP'

### SG40    CUX      Currencies

**C 1**

**Function:** Currency for prize according to ISO-codelist.

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
CUX				
C504	Currency details	C		
6347	Currency usage code qualifier	M	an..3	2 Reference currency
6345	Currency identification code	C	an..3	
6343	Currency type code qualifier	C	an..3	8 Price list currency

**Example:**

CUX+2:NOK:8'

## SG40 DTM Date/time/period

**C 5**

**Function:** Date when future prize is valid from or date when existing prize became operative.

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	299
2380	Date or time or period value	M	an..35	Actual date, e.g. 20080701
2379	Date or time or period format code	M	an..3	102 CCYYMMDD

**Example:**

DTM+299:20080701:102'

## SG40 PRI Suggested retail prize

**M 1**

**Function:**

Tag	Name	Req.	Type	Description and Codes
PRI				
C509	Price information	C		
5125	Price code qualifier	M	an..3	INF Information price
5118	Price amount	C	n..15	Decimal 10 digits with 2 to desimaler.
5387	Price specification code	M	an..3	SRP Suggested retail price

**Example:**

PRI+INF:221::SRP'

## SG40 CUX Currencies

**C 1**

**Function:** Currency for prize according to ISO-codelist.

Tag	Name	Req.	Type	Description and Codes
CUX				
C504	Currency details	C		
6347	Currency usage code qualifier	M	an..3	2 Reference currency
6345	Currency identification code	C	an..3	
6343	Currency type code qualifier	C	an..3	8 Price list currency

**Example:**

CUX+2:NOK:8'

## SG40 DTM Date/time/period

**C 5**

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

**Function:** Date when future prize is valid from or date when existing prize became operative.  
Mandatory for Calculation net prize.

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	299
2380	Date or time or period value	M	an..35	Actual date, e.g. 20080701
2379	Date or time or period format code	M	an..3	102 CCYYMMDD

**Example:**

DTM+299:20080701:102'

## SG40 PRI Net prize preorder

**M 1**

**Function:** Calculated automatically if any discounts are given. Must be stated otherwise for Consumer unit, Despatch unit and Handling unit.

Tag	Name	Req.	Type	Description and Codes
PRI				
C509	Price information	C		
5125	Price code qualifier	M	an..3	AAA Calculation net
5118	Price amount	C	n..15	Decimal 10 digits with 2 to desimaler.
5387	Price specification code	M	an..3	

**Example:**

PRI+AAA:221::NTF'

## SG40 CUX Currencies

**C 1**

**Function:** Currency for prize according to ISO-codelist.

Tag	Name	Req.	Type	Description and Codes
CUX				
C504	Currency details	C		
6347	Currency usage code qualifier	M	an..3	2 Reference currency
6345	Currency identification code	C	an..3	
6343	Currency type code qualifier	C	an..3	8 Price list currency

**Example:**

CUX+2:NOK:8'

## SG40 DTM Date/time/period

**C 5**

**Function:** Date when future prize is valid from or date when existing prize became operative.  
Mandatory for Calculation net prize.

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	299
2380	Date or time or period value	M	an..35	Actual date, e.g. 20080701
2379	Date or time or period format code	M	an..3	102 CCYYMMDD

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

**Example:**

DTM+299:20080701:102'

### SG40 PRI Net prize supplementary order

**M 1**

**Function:** Calculated automatically if any discounts are given. Must be stated otherwise for Consumer unit, Despatch unit and Handling unit.

Tag	Name	Req.	Type	Description and Codes
PRI				
C509	Price information	C		
5125	Price code qualifier	M	an..3	AAA Calculation net
5118	Price amount	C	n..15	Decimal 10 digits with 2 to desimaler.
5387	Price specification code	M	an..3	

**Example:**

PRI+AAA:221::NTS'

### SG40 CUX Currencies

**C 1**

**Function:** Currency for prize according to ISO-codelist.

Tag	Name	Req.	Type	Description and Codes
CUX				
C504	Currency details	C		
6347	Currency usage code qualifier	M	an..3	2 Reference currency
6345	Currency identification code	C	an..3	
6343	Currency type code qualifier	C	an..3	8 Price list currency

**Example:**

CUX+2:NOK:8'

### SG40 DTM Date/time/period

**C 5**

**Function:** Date when future prize is valid from or date when existing prize became operative. Mandatory for Calculation net prize.

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	299
2380	Date or time or period value	M	an..35	Actual date, e.g. 20080701
2379	Date or time or period format code	M	an..3	102 CCYYMMDD

**Example:**

DTM+299:20080701:102'

### SG41 ALC Early payment allowance Trading enterprise

**M 1**

**Function:** Allowance rate in percent must be stated when Gross unit prize is used.

Tag	Name	Req.	Type	Description and Codes
ALC				

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
5463	Allowance or charge code qualifier	M	an..3	A Allowance
C552	Allowance/charge information	C		
1230	Allowance or charge identifier	C	an..35	
4471	Settlement means code	C	an..3	
C214	Special services identification	C		
7161	Special service description code	C	an..3	EAB Early payment allowance Trading enterprise

**Example:**

ALC+A+X+++EAB'

## SG41 DTM Date/time/period

**C 9**

**Function:** Date when future prize is valid from or date when existing prize became operative.

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	299
2380	Date or time or period value	C	an..35	Actual date, e.g. 20080701
2379	Date or time or period format code	C	an..3	102 CCYYMMDD

**Example:**

DTM+299:20080701:102'

## SG43 PCD Percentage details

**M 1**

**Function:**

Tag	Name	Req.	Type	Description and Codes
PCD				
C501	Percentage details	M		
5245	Percentage type code qualifier	M	an..3	1 Allowance
5482	Percentage	C	n..4	Allowance rate

**Example:**

PCD+1:9'

## SG41 ALC Early payment allowance Retailer

**M 1**

**Function:** Allowance rate in percent must be stated when Gross unit prize is used.  
Early payment allowance for Retailer is NOT used for Gresvig and COOP.

Tag	Name	Req.	Type	Description and Codes
ALC				
5463	Allowance or charge code qualifier	M	an..3	A Allowance
C552	Allowance/charge information	C		
1230	Allowance or charge identifier	C	an..35	
4471	Settlement means code	C	an..3	
C214	Special services identification	C		
7161	Special service description code	C	an..3	EAC Early payment allowance Retailer

**Example:**

ALC+A+X+++EAC'

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English      Message Description

## Segments

### SG41 DTM Date/time/period

**C 9**

**Function:** Date when future prize is valid from or date when existing prize became operative.

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	299
2380	Date or time or period value	C	an..35	Actual date, e.g. 20080701
2379	Date or time or period format code	C	an..3	102 CCYYMMDD

**Example:**

DTM+299:20080701:102'

### SG43 PCD Percentage details

**M 1**

**Function:**

Tag	Name	Req.	Type	Description and Codes
PCD				
C501	Percentage details	M		
5245	Percentage type code qualifier	M	an..3	1 Allowance
5482	Percentage	C	n..4	Allowance rate

**Example:**

PCD+1:9'

### SG41 ALC Supplementary allowance Trading enterprise

**M 1**

**Function:** Allowance rate in percent must be stated when Gross unit prize is used.

Tag	Name	Req.	Type	Description and Codes
ALC				
5463	Allowance or charge code qualifier	M	an..3	A Allowance
C552	Allowance/charge information	C		
1230	Allowance or charge identifier	C	an..35	
4471	Settlement means code	C	an..3	2 Off invoice To be stated for supplementary allowances.
C214	Special services identification	C		
7161	Special service description code	C	an..3	ZSU Supplementary allowance Trading enterprise

**Example:**

ALC+A+X+2++ZSU'

### SG41 DTM Date/time/period

**C 9**

**Function:** Date when future prize is valid from or date when existing prize became operative.

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	299
2380	Date or time or period value	C	an..35	Actual date, e.g. 20080701

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
2379	Date or time or period format code	C	an..3	102 CCYYMMDD

**Example:**

DTM+299:20080701:102'

## SG43 PCD Percentage details

**M 1**

**Function:**

Tag	Name	Req.	Type	Description and Codes
PCD				
C501	Percentage details	M		
5245	Percentage type code qualifier	M	an..3	1 Allowance
5482	Percentage	C	n..4	Allowance rate

**Example:**

PCD+1:9'

## SG41 ALC Supplementary allowance Retailer

**M 1**

**Function:** Allowance rate in percent must be stated when Gross unit prize is used.  
Supplementary allowance for Retailer is NOT used for Gresvig and COOP.

Tag	Name	Req.	Type	Description and Codes
ALC				
5463	Allowance or charge code qualifier	M	an..3	A Allowance
C552	Allowance/charge information	C		
1230	Allowance or charge identifier	C	an..35	
4471	Settlement means code	C	an..3	2 Off invoice To be stated for supplementary allowances.
C214	Special services identification	C		
7161	Special service description code	C	an..3	ZSB Supplementary allowance Retailer

**Example:**

ALC+A+X+2++ZSB'

## SG41 DTM Date/time/period

**C 9**

**Function:** Date when future prize is valid from or date when existing prize became operative.

Tag	Name	Req.	Type	Description and Codes
DTM				
C507	Date/time/period	M		
2005	Date or time or period function code qualifier	M	an..3	299
2380	Date or time or period value	C	an..35	Actual date, e.g. 20080701
2379	Date or time or period format code	C	an..3	102 CCYYMMDD

**Example:**

DTM+299:20080701:102'

## SG43 PCD Percentage details

**M 1**

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

### Function:

Tag	Name	Req.	Type	Description and Codes
PCD				
C501	Percentage details	M		
5245	Percentage type code qualifier	M	an..3	1 Allowance
5482	Percentage	C	n..4	Allowance rate

**Example:**

PCD+1:9'

## SG47 PAC Package

**M 1**

**Function:** Package type for line. Must be filled in for all package levels.

Tag	Name	Req.	Type	Description and Codes
PAC				
C202	Package type	M		
7065	Package type description code	M	an..17	Valid code according to EPDSport-database.

**Example:**

PAC+++BX'

## SG47 MEA Width (cm)

**O 10**

**Function:** To be stated if product is held in stock by one or more Trading enterprises. Mandatory for COOP. Description of products outer dimensions (facing for CU and TU). Width is measured from outmost left to outmost right. Width on HN using ISO 1-1/1 Europall with dim 80 x 120 cm will always be 80 cm, provided that there is no "overheng" on the pallet.

Tag	Name	Req.	Type	Description and Codes
MEA				
6311	Measurement purpose code qualifier	M	an..3	PD Physical dimensions
C502	Measurement details	C		
6313	Measured attribute code	C	an..3	WD Width
C174	Value/range	C		
6411	Measurement unit code	M	an..3	CMT Centimetre
6314	Measurement value	C	n..10	Actual with. Decimal 10, incl. 2 decimal digits.

**Example:**

MEA+PD+WD+CMT:12'

## SG47 MEA Depth (cm)

**O 10**

**Function:** To be stated if product is held in stock by one or more Trading enterprises. Mandatory for COOP. Description of products outer dimensions (facing for CU and TU). Depth is measured from nearest point in front to outmost rear point. When using ISO 1-1/1 Europall with dim 80 x 120 cm, depth will also be 120 cm, provided that there is no "overheng" on the pallet.

Tag	Name	Req.	Type	Description and Codes
MEA				

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
6311	Measurement purpose code qualifier	M	an..3	PD Physical dimensions
C502	Measurement details	C		
6313	Measured attribute code	C	an..3	DP Depth
C174	Value/range	C		
6411	Measurement unit code	M	an..3	CMT Centimetre
6314	Measurement value	C	n..10	Depth. Decimal 10, incl. 2 decimal digits.

**Example:**

MEA+PD+DP+CMT:12'

### SG47 MEA Height (cm)

**O 10**

**Function:** To be stated if product is held in stock by one or more Trading enterprises. Mandatory for COOP. Description of products outer dimensions (facing for CU and TU). Height is measured from products lowest to highest point. Height on pallet must include pallets own height, 15 cm.

Tag	Name	Req.	Type	Description and Codes
MEA				
6311	Measurement purpose code qualifier	M	an..3	PD Physical dimensions
C502	Measurement details	C		
6313	Measured attribute code	C	an..3	HT Height
C174	Value/range	C		
6411	Measurement unit code	M	an..3	CMT Centimetre
6314	Measurement value	C	n..10	Height. Decimal 10, incl. 2 decimal digits.

**Example:**

MEA+PD+HT+CMT:20'

### SG47 MEA Gross weight (gram)

**O 10**

**Function:** To be stated if product is held in stock by one or more Trading enterprises. Mandatory for COOP. Description of products outer dimensions (facing for CU and TU). Gross weight is included packaging. For pallet this includes pallets own weight on 20000 gram.

Tag	Name	Req.	Type	Description and Codes
MEA				
6311	Measurement purpose code qualifier	M	an..3	PD Physical dimensions
C502	Measurement details	C		
6313	Measured attribute code	C	an..3	AAD Total gross weight
C174	Value/range	C		
6411	Measurement unit code	M	an..3	GRM Gram
6314	Measurement value	C	n..10	Gross weight incl. packaging. Decimal 8.

**Example:**

MEA+PD+AAD+GRM:100'

### UNT Message trailer

**M 1**

**Function:** Total number of segments in message

Req.: M=Mandatory, C=Conditional, O=Optional

# Pricat Sport English      Message Description

## Segments

Tag	Name	Req.	Type	Description and Codes
UNT				
0074	Number of segments in a message	M	n..10	
0062	Message reference number	M	an..14	Identical with UNH/0062

**Example:**

UNT+58+1'